


T0530X



PS where X is S<sup>or</sup>, O<sup>or</sup>, or NR' where R' is hydrogen or lower alkyl; R  
 is hydrogen or lower alkyl; R<sub>2</sub> is <sup>methyl</sup> ~~lower alkyl~~; A is pyridyl[, ,  
 thienyl, furyl, pyridazinyl, pyrimidinyl or pyrazinyl]; n is 0, 1,  
 2; and B is H, <sup>3</sup>COOH or a pharmaceutically acceptable salt  
thereof, or an ester thereof with a saturated aliphatic alcohol  
of ten or fewer carbon atoms, or with a cyclic or saturated  
aliphatic cyclic alcohol of 5 to 10 carbon atoms, or with phenol  
or with a lower alkylphenol, or an amide or a mono or di-  
substituted amide thereof, the substituents on the amide being  
selected from a group consisting of saturated aliphatic radicals  
of ten or fewer carbon atoms, cyclic or saturated aliphatic  
cyclic radicals of 5 to 10 carbon atoms, and phenyl or lower  
alkylphenyl radicals, or B is CH<sub>2</sub>OH or an [ether or] ester

derivative[, ] thereof derived from a saturated aliphatic acid of ten or fewer carbon atoms, or from a cyclic or saturated aliphatic cyclic acid of 5 to 10 carbon atoms, or from benzoic acid, or an ether derivative thereof derived from a saturated aliphatic radical of ten or fewer carbon atoms, or from a cyclic or saturated aliphatic cyclic radical of 5 to 10 carbon atoms, or from phenyl or lower alkylphenyl radical, or B is -CHO or [an] a lower alkyl acetal derivative[, ] thereof, or an acetal derivative thereof formed with a lower alkyl diol, or B is -COR<sub>1</sub> or a lower alkyl ketal derivative thereof, or a ketal derivative thereof formed with a lower alkyl diol, where R<sub>1</sub> is -(CH<sub>2</sub>)<sub>m</sub>CH<sub>3</sub> where m is 0-4, or a pharmaceutically acceptable salt [thereof] of the compound defined in said formula.

Claim 2 (amended)

2c A compound of claim 1 where X is S, R is hydrogen, [A is pyridyl, thienyl or furyl] and n is 0 or 1.

Claim 3 line 1', after "where" delete "A is pyridyl and".

Claim 4 (amended)


4c [A compound of claim 3 which is ethyl] Ethyl 6-(2-(4,4-dimethylthiochroman-6-yl)ethynyl)/nicotinate [or a pharmaceutically acceptable salt thereof].

Claim 5 (amended)

50 [A compound of claim 3 which is] 6-[(2-(4,4-dimethylthiochroman-6-yl)ethynyl)]nicotinic acid or a pharmaceutically acceptable salt thereof.

Claim 6 (amended)

60 A compound of [claim 2] the formula



PS where n is 0 or 1 and where B is -CH<sub>2</sub>OH or a lower alkyl ether or lower alkyl acid ester thereof.


Claim 8 (amended)

A compound of claim 2 where B is -CHO or an acetal derivative thereof, the acetal being formed with a radical defined in claim 1.

Claim 12 (amended)

100 A compound of the formula [claim 1]

T0560X




PS where [X is S,] R is lower alkyl, [A is pyridyl, thienyl or furyl and] n is 0 or 1, and B is H, -COOH or a pharmaceutically acceptable salt thereof, or an ester thereof with a saturated aliphatic alcohol of ten or fewer carbon atoms, or with a cyclic or saturated aliphatic cyclic alcohol of 5 to 10 carbon atoms, or with phenol or with a lower alkylphenol, or an amide or a mono or di-substituted amide thereof, the substituents on the amide being selected from a group consisting of saturated aliphatic radicals of ten or fewer carbon atoms, cyclic or saturated aliphatic cyclic radicals of 5 to 10 carbon atoms, and phenyl or lower alkylphenyl radicals, or B is CH<sub>2</sub>OH or an [ether or] ester derivative[,] thereof derived from a saturated aliphatic acid of ten or fewer carbon atoms, or from a cyclic or saturated aliphatic cyclic acid of 5 to 10 carbon atoms, or from benzoic acid, or an ether derivative thereof derived from a saturated aliphatic radical of ten or fewer carbon atoms, or from a cyclic or saturated aliphatic cyclic radical of 5 to 10 carbon atoms, or from phenyl or lower alkylphenyl radical, or B is -CHO or [an] a lower alkyl acetal derivative[,] thereof, or an acetal derivative thereof formed with a lower alkyl diol, or B is -COR<sub>1</sub> or a lower alkyl ketal derivative thereof, or a ketal derivative thereof

could

formed with a lower alkyl diol, where  $R_1$  is  $-(CH_2)_mCH_3$ , where m is  
0-4, or a pharmaceutically acceptable salt [thereof] of the  
compound defined in said formula.

**Claim 14** (amended)

12c A compound of [claim 1] the formula



15 where [X is O, R is hydrogen, A is pyridyl, thienyl or furyl and] n is 0 or 1, and B is H, -COOH or a pharmaceutically acceptable salt thereof, or an ester thereof with a saturated aliphatic alcohol of ten or fewer carbon atoms, or with a cyclic or saturated aliphatic cyclic alcohol of 5 to 10 carbon atoms, or with phenol or with a lower alkylphenol, or an amide or a mono or di-substituted amide thereof, the substituents on the amide being selected from a group consisting of saturated aliphatic radicals of ten or fewer carbon atoms, cyclic or saturated aliphatic cyclic radicals of 5 to 10 carbon atoms, and phenyl or lower alkylphenyl radicals, or B is CH<sub>2</sub>OH or an [ether or] ester derivative[,] thereof derived from a saturated aliphatic acid of ten or fewer carbon atoms, or from a cyclic or saturated aliphatic cyclic acid of 5 to 10 carbon atoms, or from benzoic acid, or an ether derivative thereof derived from a saturated

aliphatic radical of ten or fewer carbon atoms, or from a cyclic or saturated aliphatic cyclic radical of 5 to 10 carbon atoms, or  
13 from phenyl or lower alkylphenyl radical, or B is -CHO or [an] a lower alkyl acetal derivative[,] thereof, or an acetal derivative  
13 thereof formed with a lower alkyl diol, or B is -COR<sub>1</sub> or a lower alkyl ketal derivative thereof, or a ketal derivative thereof  
13 formed with a lower alkyl diol, where R<sub>1</sub> is -(CH<sub>2</sub>)<sub>m</sub>CH<sub>3</sub> where m is  
14 0-4, or a pharmaceutically acceptable salt [thereof] of the compound defined in said formula.

claim 15 line 1 delete "A is pyridyl,".

claim 16 (amended)

13 14c [A compound of claim 15 which is] 6-[2-(4,4-dimethylchroman-6-yl)ethynyl]nicotinic acid or a pharmaceutically acceptable salt thereof.

claim 17 (amended)

13 15c [A compound of claim 15 which is ethyl] Ethyl 6-[2-(4,4-dimethylchroman-6-yl)ethynyl]nicotinate [or a pharmaceutically acceptable salt thereof].

Claim 19 (amended)

A compound of claim 14 where B is -CHO or an acetal

[40026CIP.AMD]

7


16561CIP

97 cond  
derivative thereof, the acetal being formed with a radical defined in claim 14.

Claim 25 Please Renumber this Independent claim as Claim 26 to correct an inadvertent numbering error.

claim <sup>18</sup>26 (as renumbered) (amended)

180 A pharmaceutical composition comprising a pharmaceutically acceptable excipient and a compound of the formula



PS where X is S<sub>n</sub> or O<sub>n</sub> or NR' where R' is hydrogen or lower alkyl; R is hydrogen or lower alkyl; R<sub>2</sub> is <sup>methyl</sup>lower alkyl; A is pyridyl[, thienyl, furyl, pyridazinyl, pyrimidinyl or pyrazinyl]; n is 0 <sup>or 1</sup> 2; and B is H, <sub>3</sub>-COOH or a pharmaceutically acceptable salt thereof, or an ester thereof with a saturated aliphatic alcohol of ten or fewer carbon atoms, or with a cyclic or saturated

aliphatic cyclic alcohol of 5 to 10 carbon atoms, or with phenol or with a lower alkylphenol, or an amide or a mono or di-substituted amide thereof, the substituents on the amide being selected from a group consisting of saturated aliphatic radicals of ten or fewer carbon atoms, cyclic or saturated aliphatic cyclic radicals of 5 to 10 carbon atoms, and phenyl or lower alkylphenyl radicals, or B is  $\text{CH}_2\text{OH}$  or an [ether or] ester derivative[,] thereof derived from a saturated aliphatic acid of ten or fewer carbon atoms, or from a cyclic or saturated aliphatic cyclic acid of 5 to 10 carbon atoms, or from benzoic acid, or an ether derivative thereof derived from a saturated aliphatic radical of ten or fewer carbon atoms, or from a cyclic or saturated aliphatic cyclic radical of 5 to 10 carbon atoms, or from phenyl or lower alkylphenyl radical, or B is  $\text{-CHO}$  or [an] a lower alkyl acetal derivative[,] thereof, or an acetal derivative thereof formed with a lower alkyl diol, or B is  $\text{-COR}_1$  or a lower alkyl ketal derivative thereof, or a ketal derivative thereof formed with a lower alkyl diol, where  $\text{R}_1$  is  $\text{-(CH}_2\text{)}_m\text{CH}_3$  where m is 0, 1, 2, 3, 4, or a pharmaceutically acceptable salt [thereof] of the compound defined in said formula.

Please renumber Claim 26 (first occurrence) as Claim 27, to correct an inadvertent error in numbering.

Claim 26 (second occurrence), please renumber this independent claim as Claim 28.

Claim 28 (as renumbered) (amended)



[40026CIP.AMD]

9

16561CIP



196 A method of treating psoriasis in a mammal which method comprises administering alone or in conjunction with a pharmaceutically acceptable excipient, a therapeutically effective amount of a compound of the formula



Q PS where X is S, <sup>or</sup> O, or NR' where R' is hydrogen or lower alkyl; R is hydrogen or lower alkyl; <sup>methyl</sup> R<sub>2</sub> is ~~lower alkyl~~; A is pyridyl[, thienyl, furyl, pyridazinyl, pyrimidinyl or pyrazinyl]; n is 0, <sup>1</sup> 2; and B is H, <sup>3</sup> -COOH or a pharmaceutically acceptable salt thereof, or an ester thereof with a saturated aliphatic alcohol of ten or fewer carbon atoms, or with a cyclic or saturated aliphatic cyclic alcohol of 5 to 10 carbon atoms, or with phenol or with a lower alkylphenol, or an amide or a mono or di substituted amide thereof, the substituents on the amide being selected from a group consisting of saturated aliphatic radicals of ten or fewer carbon atoms, cyclic or saturated aliphatic

63